

**PAPERS PUBLISHED IN SCIENCE CITATION INDEX (SCI) JOURNALS  
DURING 2004-05**

**Clay & Traditional Ceramics**

1. Evolution of microstructure in fly ash containing porcelain body on heating at different temperatures.  
K. Dana and S.K. Das,  
*Bull Mat Sci*, 27(2) 183-188 (2004)
2. Effect of substitution of fly ash for quartz in triaxial kaolin-quartz-feldspar system.  
K. Dana, S. Das and S.K. Das,  
*J Euro Ceram Soc*, 24(10-11), 3169–3175 (2004]
3. Effect of Na-Feldspar and K-Feldspar on whiteness and other properties of porcelain bodies.  
K. Dana and S.K. Das,  
*Industrial Ceram*, 24(2), 91-95 (2004)
4. Synergistic effect of fly ash and blast furnace slag on the mechanical strength of traditional porcelain tiles.  
K. Dana, J. Dey and S.K. Das,  
*Ceram Inter*, 31(1) 147-152 (2005).
5. Synthesis of mullite aggregates from fly ash: Effect on thermo-mechanical behaviour of low cement castables.  
S. Kumar, S.K. Das & P.K. Das Poddar.  
*Brit Ceram Trans*, 103 (4), 176-180 (2004).
6. Partial substitution of feldspar by B.F. Slag in triaxial porcelain: Phase and microstructural evolution.  
K.Dana and S.K. Das,  
*J Euro Ceram Soc*, 24(15-16), 3833-3839 (2004).
7. Preparation and characterization of a powder precursor consisting of oxides of Li-Al-Si in the form of hydroxyl-hydrogel for the synthesis of  $\beta$ -spodumene ceramics.  
S. Mondal, S. Chakraborti and S. Ghatak,  
*Ceram Int*, 30(3) 357-367 (2004).
8. Sintering characteristics of in-situ formed low expansion ceramics from a powder precursor in the form of hydroxy-hydrogel.  
S. Mondal, S. Chakraborti, Sukhen Das and S. Ghatak,  
*Ceram Int*, 30 (8) 2147-2155 (2004).

## Sol-Gel

9. Nonlinear optical properties and surface-plasmon enhanced optical limiting in Ag-Cu nanoclusters co-doped in SiO<sub>2</sub> sol-gel films.  
P.P. Kiran, B.N. Shivkiran Bhaktha, D.N. Rao and **G. De**,  
*J Appl Phys*, 96 (11), 6717-6723 (2004).
10. Study of photoluminescence properties of Er<sup>3+</sup> ions in SiO<sub>2</sub>-GeO<sub>2</sub> and Al<sub>2</sub>O<sub>3</sub> nanoparticles  
A. Patra,  
*Solid State Commu*, 132 (5), 299-303 (2004)
11. Luminescence of Ce<sup>3+</sup> in Y<sub>2</sub>SiO<sub>5</sub> nanocrystals: Role of crystal structure and crystal size.  
S. Saha, P.S. Chowdhury and A. Patra,  
*J Phys Chem B*, 109 (7), 2699-2702 (2005)
12. Charge Carrier Transport in Poly(*N*-vinylcarbazole):CdS Quantum Dot Hybrid Nanocomposite  
K. Roychowdhury, M. Somac, A. Patra and P.N. Prasad;  
*J Phys Chem B*, 108 (5), 1556-1562 (2004).
13. Study of luminescence properties of Er<sup>3+</sup>-ions in new tellurite glasses.  
R. El-Mallawany, A. Patra, C.S. Friend, R. Kapoor and P.N. Prasad  
*Opt Mater*, 26(3), 267-270 (2004).
14. Synthesis and luminescence study of Eu<sup>3+</sup> in Zn<sub>2</sub>SiO<sub>4</sub> nanocrystals  
A. Patra, G.A. Barker and S.N. Barker  
*Opt Mater*, 27 (1), 15-20 (2004).
15. Au-Pt alloy nanocrystals incorporated in silica films.  
G. De and C.N.R. Rao;  
*J Mater Chem*, 15 (8), 891-894 (2005).
16. A novel process for the synthesis of cordierite (Mg<sub>2</sub>Al<sub>4</sub>Si<sub>5</sub>O<sub>18</sub>) powders from rice husk ash and other sources of silica and their comparative study  
M.K. Naskar and M. Chatterjee;  
*J Euro Ceram Soc*, 24 (13), 3499-3508 (2004).
17. Effects of dopant concentration and annealing temperature on the phosphorescence from Zn<sub>2</sub>SiO<sub>4</sub>: Mn<sup>2+</sup> nanocrystals  
A. Patra, Gary A. Baker, Sheila N. Baker,  
*J Luminescence*, 111 (1-2), 105-111 (2005)

18. Influence of nanoenvironment on luminescence of  $\text{Eu}^{3+}$  activated  $\text{SnO}_2$  nanocrystals  
P S Chowdhury, S Saha and A Patra  
*Solid State Commu.* 131 (12), 785-788. (2004)
19. Solvation dynamics of DCM in a DPPC vesicle entrapped in a sodium silicate derived sol-gel matrix.  
P. Sen, S. Mukherjee, A. Patra and K. Bhattacharyya;  
*J. Phys. Chem. B*, 109 (8), 3319-3323 (2005).
20. Magnesium aluminate ( $\text{MgAl}_2\text{O}_4$ ) spinel powders from water-based sols.  
M.K. Naskar and M. Chatterjee;  
*J. Am. Ceram. Soc.*, 88 (1), 38-44 (2005).
21. Effects of organic acids on sol-gel transition of silicic acid – A Rheological study.  
M.K. Naskar;  
*J. Mater. Sci.*, 40 (5) 1309-1311 (2005).

#### Electro-ceramics

22. Methane sensitivity of Fe-doped  $\text{SnO}_2$  thick films.  
S. Bose, S. Chakraborty, B.K. Ghosh, D. Das, A. Sen and H.S. Maiti;  
*Sensors and Actuators B: Chem* 105 (2), 346-350 (2005).
23. Mechanism of charge transport in polypyrrole-heparin composites.  
A. Kaur, R. Singh, K.L. Yadav and D. Bhattacharya;  
*J. Macromol Sc. Part A*, 41 (12), 1369-1375 (2004).
24. Sonochemical synthesis of nanocrystalline rare earth orthoferrites using  $\text{Fe}(\text{CO})_5$  as precursor.  
M. Sivakumar, A. Gedanken, D. Bhattacharya, I. Brukental, Y. Yeshurun, W. Zhong, Y.W. Du, I. Felner and I. Nowik;  
*Chem Mater*, 16 (19), 3623-3632 (2004).
25. Vortex order-disorder transition in relaxation and field-sweep measurements.  
B. Kalisky, A. Shaulov, D. Bhattacharya, T. Tamegai and Y. Yeshurun;  
*Physica C*, 408-410, 382-383 (2004).
26. Sonochemical synthesis of nanocrystalline  $\text{LaFeO}_3$ .  
M. Sivakumar, A. Gedanken, W. Zhong, Y.H. Jiang, Y.W. Du, I. Brukental, D. Bhattacharya, Y. Yeshurun and I. Nowik;  
*J. Mater. Chem.*, 14 (4), 764-769 (2004).
27. Impedance and piezoelectric constants of phosphorous-incorporated  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$  ceramics.  
R. Mazumder, A. Sen and H.S. Maiti;

*Mat. Lett.*, 58 (25), 3201-3205 (2004).

28. Measurement of gas moisture in ppm range using porous silicon and porous alumina sensor.  
T. Islam, K.K. Mistry, K. Sengupta and H. Saha;  
*Sen & Mater.*, 16 (7), 345-356 (2004).
29. A potential low-temperature oxide-ion conductor:  $\text{La}_{2-x}\text{Ba}_x\text{Mo}_2\text{O}_9$   
S. Basu, P. Sujatha Devi and H.S. Maiti;  
*Appl. Phys. Letts.*, 85, 3486-3488 (2004).
30. Orbital order-disorder transition in  $\text{La}_{1-x}\text{Nd}_x\text{MnO}_3$  ( $x = 0.0-1.0$ ) and  $\text{La}_{1-x-y}\text{Nd}_x\text{Sr}_y\text{MnO}_3$  ( $x = 0.1$ ;  $y = 0.05, 0.1$ )  
D. Bhattacharya, P. Sujatha Devi and H.S. Maiti,  
*Phys. Rev. B*, 70 (1-4), 184415 (2004).
31. Synthesis and properties of nano-crystalline ceria powders.  
S. Basu, P. Sujatha Devi and H.S. Maiti,  
*J. Mater. Res.* 19(11), 3162-3171 (2004)
32. A novel approach to develop dense lanthanum calcium chromite sintered ceramics with very high conductivity.  
A. Kumar, P. Sujatha Devi and H.S. Maiti,  
*Chem. Mater.* 16 (26), 5562-5563 (2004)
33. Phase evolution of yttrium-aluminium-garnet (YAG) in a citrate-nitrate gel combustion process.  
X.Z. Guo, P.S. Devi, B.G. Ravi, J.B. Parise, S. Sampath and J.C. Hanson,  
*J Mat. Chem.*, 14(8), 1288-1292 (2004)
34. Negative differential resistance in ferroelectric lead zirconate titanate thin films : Influence of interband tunneling on leakage current.  
A.K. Maity, J.Y. Lee, A. Sen and H.S. Maiti,  
*Jap. J Appl Phys.* 43(10), 7155 (2004).
35. Vanadia-silica xerogels: optical and structural properties  
P. Sujatha Devi and D. Ganguli,  
*J Non-Cryst. Sol.*, 336(2), 128-134 (2004)
36. Preparation of nickel coated YSZ powder for application as an anode for solid oxide fuel cells.  
S.K. Pratihari, A. Das Sharma, R.N. Basu and H.S. Maiti,  
*J Power Sources*, 129 (2), 138-142 (2004)
37. Influence of ambient-temperature on the rheological properties of alumina tape casting slurry.  
A. Seal, D. Chattopadhyay, A Das Sharma, A. Sen and H.S. Maiti,  
*J Euro. Ceram. Soc.*, 24 (8), 2275-2283 (2004)

## Non-oxide Ceramics

38. Effect of texture on corrosion behaviour of AISI 304L stainless steel.  
B.R. Kumar, R. Singh, B. Mahato, P.K. De, N.R. Bandyopadhyay & D.K. Bhattacharya;  
*Mat. Charac*, 54 (2), 141-147 (2005).
39. Magnetic Barkhausen emission to evaluate fatigue damage in a low carbon structural steel.  
S.P. Sagar, N. Parida, S. Das, G. Dobmann & D.K. Bhattacharya;  
*Int. J. Fatigue* 27 (3), 317-322 (2005).
40. Chemisorption of yttrium nitrate on AlN particles.  
R. Mukhopadhyay, H.S. Maiti and S.K. Biswas;  
*J Am Ceram Soc* 87 (4) 749-751 (2004).
41. Si-SiC ceramics from plant precursor.  
O.P. Chakraborti, H.S. Maiti and R. Majumdar,  
*J Mater. Sc.*, 39 (14), 4715-4717 (2004)
42. Bio-mimetic synthesis of cellular SiC based ceramics from plant precursor.  
O.P. Chakraborti, H.S. Maiti and R. Majumdar,  
*Bull. of Mater. Sc.*, 27 (5), 467-470 (2004)

## Glass Science

43. Oxyboron complexes of C<sub>60</sub> – fullerene : A new direction in fullerene chemistry,  
R. Debnath, R. Sahu,  
*Curr Sci.*, 87 (7), 975 (2004)
44. Photoinduced electron dynamics in a phosphate heterostructure dispersed with C<sub>60</sub> nanoclusters.  
R. Sahoo, D. Banerjee and R. Debnath  
*J Surf Sci Tech*, 21 (1-2), 83-90 (2005).
45. A series of new generation bismuth and boron addition complexes of C<sub>60</sub>, prepared through high temperature solid state reactions.  
R Sahoo, D Banerjee, S K Bhattacharya and R Debnath;  
*Ind J Chem*, 44A, (9) 1782-1792 (2005).

## Bio-Ceramics and Coatings

46. Crystal structure of  $\text{Ca}_{1-x}\text{Sr}_x\text{Zr}_4(\text{PO}_4)_6$  ( $0 \leq x \leq 1$ ).  
W Fischer, L Singheiser, D Basu and A Dasgupta;  
*Powder Diffraction* 19 (2) 153-156 (2004).
47. Fabrication, characterization of porous hydroxyapatite ocular implant and in-vivo study in dogs.  
D Basu, B Kundu, M K Sinha and M K Mitra;  
*Bull Mat Sci* 27 (2) 133-140 (2004).
48. Characterization of Mechanical Properties of Alumina Based Hip Joint Prostheses.  
R. Singha Roy, M Mitra and D Basu;  
*Trends Biomater Artif Organs*, 18 (2), 166-173 (2005)

## Refractories

49. Reaction sintering of different spinel compositions in the presence of  $\text{Y}_2\text{O}_3$ .  
R. Sarkar, H.S. Tripathi and A. Ghosh,  
*Mater Lett, Vol. 58 (16), 2186-2191 (2004)*
50. Effect of spinel content on the properties of magnesia-spinel composite refractory.  
A. Ghosh, R. Sarkar, B. Mukherjee and S.K. Das,  
*J Euro Ceram Soc*, 24 (7), 2079-2085 (2004)
51. Densification and properties of lime in presence of an additive  $\text{V}_2\text{O}_5$ .  
A. Ghosh, T.K. Bhattacharyya, S. Maiti, B. Mukherjee, H.S. Tripathi, S.K. Das.  
*Ceram Inter*, 30 (8), 2117-2120 (2004).
52. Effect of compositional variation on the synthesis of magnesite-chrome composite refractory.  
M.K. Halder, H.S. Tripathi, S.K. Das, A. Ghosh,  
*Ceram Inter*, 30 (6), 911-915 (2004).
53. Development of sintered mullite aggregates from off grade sillimanite.  
H S Tripathi, A Ghosh, B Mukherjee and S K Das;  
*Ind Ceram* 24 (1) Jan/Apr (2004).