



सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान  
196, राजा एस सी मल्लिक रोड, कोलकाता - 700 032, भारत  
**CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE**  
196, Raja S C Mullick Road, Kolkata - 700 032, India



File No. RTI Reg No. CGCRI//R/E/20/00007 (92)/Estt.

Dated: 15.06.2020

To  
Mr. PRASHANT PRABHAKAR  
TOWER 3 FLAT NO.206 ELDECO SAUBHGAYAM  
VRINDAVAN YO, YOJNA,  
LUCKNOW-PIN-226301

**Registration Number: CGCRI//R/E/20/00007**

Sub: RTI Query vide Regn. No. CGCRI//R/E/20/00007

Dear Sir,

I am to refer to your Request for Information under RTI Act 2005, received vide **Registration Number CGCRI//R/E/20/00007** dated 15/05/2020 and the replies are as follows –

1. Central Glass & Ceramic Research Institute is located:

The address of Central Glass & Ceramic Research Institute is as follows:

Central Glass & Ceramic Research Institute,  
196, Raja S.C Mullick Road, Opposite Jadavpur P.S  
Kolkata, West Bengal, India  
PIN-700032

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within **thirty days** from the date of receipt of this letter.

**Dr.Om PrakashChakraborty**

FAA & Chief Scientist

Address: CSIR-Central Glass & Ceramic Research Institute

196, Raja S C Mullick Road, Kolkata – 700 032

Phone No.: 033-23223473

Yours faithfully,

(ADITYA MAINAK)

Link Officer to CPIO

Phone No.: 033-2322-3510



सूचना  
का अधिकार  
RIGHT TO  
INFORMATION

दूरभाष Phone : निदेशक/Director : +91 33 2473 5829, कार्यालय Office : 2473 3469/76/77/96; 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079/8082 फैक्स Fax : (033) 2473 0957, 2473 6082, 2483 7339, 2483 8085 ई मेल/Email : dir\_office@cgcri.res.in  
वेब साइट/Website : www.cgcri.res.in