



o/c. Speed - Post
केन्द्रीय कांच एवं सिरामिक अनुसंधान संस्थान
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)



CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
(COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH)

फाइल सं./File No.: RTI/R&D/2019/002

दिनांक/Dated: 14 May, 2019

सेवा में/To

Mr. Ajikumar
Komala Sadanam,
Kulakkada East po,
Kollam Dist,
Pin- 691521

स्पीड पोस्ट
SPEED POST | DSP 3761

Dear Mr Ajikumar,

14 MAY 2019

This has reference to your RTI application dated 05/05/2019 which has been received online at this Institute on 05/05/2019 (Regn No. CGCRI/R/2019/50001). With reference to your query, the reply is as under:

Reply to queries 1- 4: No information is available as the subject matters of the queries are not related to this Institute.

Reply to query 5: No.

Yours sincerely,

M. Sreemany

(Dr. Monjoy Sreemany)
Central Public Information Officer (R&D)

The First Appellate Authority of this Institute is:
Dr. B. B. Jha
Chief Scientist

196, राजा एस. सी. मल्लिक रोड, कोलकाता - 700 032, भारत, 196, Raja S. C. Mullick Road, Kolkata - 700 032 India

दूरभाष/Phone : निदेशक/Director : 2473-5829 कार्यालय/Office : 2473- 3469/76/77/96, 2483-9245/46/47, 2483-7340/41/42/43/44/45/46, 2483-7349/50

DID Lines : 2483-8079/8082. ग्राम/Gram : GLASCERCH फैक्स/Fax : (033) 2473-0957, 2483 7339, 2483 8085

ई-मेल/E.MAIL: director@cgeri.res.in, वेबसाइट/Website : www.cgeri.res.in