



सीएसआईआर - केन्द्रीय कौच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सि. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR-Central Glass & Ceramic Research Institute

196, Raja S. C. Mullick Road, Kolkata 700 032, India



File No. RTI Reg No. CGCRI/R/X/20/00001 (81)/Estt.

DST-2077

Dated: 14.02.2020

To
Mr. Rahul Manchanda,
38-A, Pocket I, Mayur Vihar Phase-I,
New Delhi, Pin-110091

स्पीड पोस्ट
SPEED POST

14 FEB 2020

Registration Number: CGCRI/R/X/20/00001

Sub: RTI Query vide Regn. No. CGCRI/R/X/20/00001

Dear Sir,

I am to refer to your Request for Information under RTI Act 2005, received vide **Registration CGCRI/R//20/00001** dated 31/01/2020 and the replies are as follows –

Reply to Query No. (i): As per the available records, the required details are furnished below:

- No. of complaints of sexual harassment at CSIR-CGRI: **01**
- Date of submission of complaint to the concerned authority: 16.11.2019
- Name of the CSIR workplace where the complaint was submitted: CSIR-CGRI, Kolkata
- Name and designation of the accused: Under Section 16 of SHWW (Prevention, Prohibition and Redressal) Act, 2013, Notwithstanding anything contained in the Right to Information Act, 2005 (22 of 2005), the contents of the complainant made under Section 9, the identity and addresses of the aggrieved woman, respondent and witnesses shall not be published, communicated or made known to the public, press and media in any manner. As such, the details of the accused cannot be furnished.
- Date of receipt of complaint by the ICC of CSIR-CGRI: As per Chairperson of ICC, the complaint was submitted on 16.11.2019 for which the investigation is under process.
- Date of final decision of the ICC: Investigation is still under process
- Final decision of the ICC with respect to the complaint: Decision yet to be finalized

Continued to next page

०/८



सुचना का
अधिकार
RIGHT TO
INFORMATION

दूरभाष/Phone : निर्देशक/Director : +91 33 2473 5829, कार्यालय/Office : 2473 3469/76/77/96; 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079/8082 फैक्स/Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085 ई-मेल/Email : dir_office@cgcri.res.in
वेबसाइट/Website : www.cgcri.res.in

Reply to Query No. (ii): As per the available records, there is no such case as pertaining to this Institute.

Reply to Query No. (iii): As per the available records, there is no such case as pertaining to this Institute

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within *thirty days* from the date of receipt of this letter.

Dr.Om PrakashChakraborty


FAA & Chief Scientist

Address: CSIR-Central Glass & Ceramic Research Institute

196, Raja S C Mullick Road, Kolkata – 700 032

Phone No.: 033-23223473

Yours faithfully,



(Shri R K S Roushan)

CPIO & Administrative Officer

Phone No.: 033-2322-3510