



सीएसआइआर-केंद्रीय कांच एवम सीरामिक अनुसंधान संस्थान

**CSIR CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE**

(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद

COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH)

196, राजा एस सी मल्लिक रोड

Raja S. C. Mullick Road, यादवपुर/ Jadavpur, कोल काता Kolkata-32

फोन/Ph.: 033-2473-3469/96/76/77 फैक्स/ Fax : 033-2473-0957

**निविदा रद्द करना/CANCELLATION OF TENDER**

सभी को सुचित किया जाता है कि This is for general information that the NIT for Gas Chromatograph (File No. PS-1/NC/199/ND/SPO/GT/19-20(Re)) which was published in the Central Public Procurement Portal on 12/03/2020 (<https://etenders.gov.in/e procure/app>) प्रशासनिक कारणों से रद्द किया जाता है/ has been cancelled owing to Administrative reasons.

*R. Ray 11/6/2020*  
(आर.राय/R. Ray)

भंडार एवम क्रय अधिकारी/Stores & Purchase Officer

In view of the above the  
T2PC recommends that this tender  
is to be cancelled and EMD if any  
is to be returned.  
owing to Administrative Reasons.

As per Priority List of FY 20-21,  
the item is not included in List I  
thus Finance Member suggested that  
I.O may please take up the  
matter with Project Leader.

3712  
10/6/2020  
S/O

10/6/2020  
S/O (P2A)

10/6/2020  
S/O (G)

Naundini Dab  
Dr. N. Das 10.6.2020  
I.O

A. Das Sharma  
Dr. A. S. Shaha 10/06/2020  
Member

S. Acharya  
Dr. S. D. Acharya  
10/6/2020

M. Naskar 10/6/2020  
Dr. M. Naskar  
Member

10/6/2020  
Dr. M. Pal  
Chairman.