

31/19/20

As no response has been received from M/s Vijay Kumar Enterprise the rejection stands. Thus the T&PC recommends the Tender is to be cancelled. and notice may be uploaded in the CPP Portal & CGCRG website as no Bids have been received.

The T&PC recommended that I.O may submit an indent with revised specification for re-tendering.

BT 2
20/2/2020
SFO

[Signature]
20/02/2020
S&F&A

[Signature]
20/02/2020
A.O
Member
(S.S. Acharya)
20/2/2020

Nandini Das
I.O
(Dr. N. Das) 20.2.2020.

M. K. Naskar
Member
(Dr. M. K. Naskar)

[Signature]
20/2/2020
Chairman
(Dr. M. Pal)



सीएसआईआर-केंद्रीय कांच एवम सीरामिक अनुसंधान संस्थान
CSIR CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद
COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH)
196, राजा एस सी मल्लिक रोड

Raja S. C. Mullick Road, यादवपुर/ Jadavpur, कोलकाता Kolkata-32
फोन/Ph.: 033-2473-3469/96/76/77 फैक्स/ Fax : 033-2473-0957

CANCELLATION OF TENDER

This is for general information that the NIT for **Gas Chromatograph (File No. PS-1/NC/199/ND/SPO/GT/19-20)** which was published in Central Public Procurement Portal on **09/12/2019** (<https://etenders.gov.in/e procure/app>) has been cancelled as no Bids have been received.

Ray
21/2/2020

(R. Ray)

Stores & Purchase Officer

आर. रे / R. Ray

भण्डार एवं क्रय अधिकारी

STORES & PURCHASE OFFICER

सीएसआईआर - केंद्रीय कांच एवं सीरामिक अनुसंधान संस्थान
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, राजा एस. सी. मल्लिक रोड / 196, RAJA S.C. MULLICK ROAD
कोलकाता / KOLKATA- 700 032