## Central Glass & Ceramic Research Institute KOLKATA (WEST BENGAL) INDIA CORRIGENDUM

REFERENCE NO.:- P/C/51/BD/SP/OT/1163/21-22

DATE: 22/10/2021

NAME OF EQUIPMENT: "Supply of Transparent Quartz Top Lids etc as per drawing"

NOTE: The Bids must be submitted in the Central Public Procurement Portal (URL: <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a>) only. Manual/Offline bids shall not be accepted under any circumstances. Bidders should quote in INR only.

All concerned are hereby informed the followings:-

- (i) The rates of the following items as mentioned below and as per drawing mentioned in Chapter No. 4 of the tender document may be provided separately in PDF along with PRICE-BID (Two Bid System).
- (ii) The consolidated rates of all the items may be given in BOQ and quantity indicated as "01 No." therein may be read as "Consolidated price for all the items for 25 Nos. (consolidated quantity) " keeping in view of the evaluation criteria as mentioned at Clause No. 4.12 (Chapter-4).
- (iii) Bidders may ensure the offer for all the items as mentioned below and same may be confirmed in their Technical Bid.

## **SPECIFICATIONS:-**

Sl. No.	Item Name	Detailed Specification of Stores	Quantity
1	Transparent Quartz Top Lid No. 1 (As per Drawing)	As per drawing mentioned in Chapter-4	7
2	Transparent Quartz Top Lid No. 1 (As per Drawing)	As per drawing mentioned in Chapter-4	13
3	Transparent Quartz Channel	As per drawing mentioned in Chapter-4	5
		Total Qunatity	25 Nos.

THE REVISED DEADLINE FOR BID SUBMISSION END DATE AND DATE OF OPENING OF BIDS ARE AS FOLLOWS:

Last Date for	08/11/2021 by 11:30	Opening of	09/11/2021 by 11.30
Submission of	A.M. (IST)	Bids	A.M. (IST)
Bids		9.0009000	

Åll other Tender terms and conditions remain unchanged.

#\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Bidders should quote only in INR.

(A.K. Pandey)

34 MS 22.10.2021

Stores & Purchase Officer

अंजनी कुमार पाण्डेय/Anjani Kumar Pandey भण्डार एवं क्रय अधिकारी/Stores & Purchase Officer सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE 196, राजा एस. सी. मल्लिक रोड //196, Raja S. C. Mullick Roed

कोलकाता / Kolkata- 700 032