

Central Glass & Ceramic Research Institute
KOLKATA (WEST BENGAL) INDIA
CORRIGENDUM

REFERENCE NO. :- P/C/95/NCP/SO/OTE/21-22/2946

DATE: 10/12/2021

NAME OF EQUIPMENT: FABRICATION OF PLATINUM CRUCIBLES AND STIRRES (1L &5L) WITH DPH-PT.

NOTE: The Bids must be submitted in the Central Public Procurement Portal (URL:<https://etenders.gov.in/e procure/app>) only. Manual/Offline bids shall not be accepted under any circumstances. Bidders should quote in INR only.

CONSEQUENT TO THE PRE-BID MEETING HELD ON 07/12/2021, THE REVISED SPECIFICATION IS GIVEN BELOW:-

SPECIFICATIONS:-

Chapter -4 point No.C (under General Specifications & others terms), may be read as “Successful bidder has to provide the “Material quality test certificate ‘for fabricated items(DPH-Pt wares), which shall be from either Vendor’s accredited Testing facility or from any other ISO accredited laboratories.

- According payment terms at Page No.74 & 87 of the tender documents may be read pertaining to submission of certificate for releasing the payment.
- Clause No.4.5.4 (Third Party Inspection) and clause No.4..5.5 (Inspection and Acceptance Test) mentioned in Chapter -4 of the tender document may be read as mentioned above.

All other Tender terms and conditions remain unchanged.

Bidders should quote only in INR.


10-12-2021

(A.K.Pandey)

Stores & Purchase Officer

#*****
Anil Kumar Pandey / Anil Kumar Pandey
भण्डार एवं क्रय अधिकारी / Stores & Purchase Officer
सीएसआइआर - केन्द्रीय काँच एवं प्लेटिंग अनुसंधान संस्थान
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, राजा एस. सी. मुल्लिक रोड / 196, Raja S. C. Mullick Road
कोलकाता / Kolkata- 700 032