

सीएसआईआर – केन्द्रीय कांच एवं सिरामिक अनुसंधान संस्थान/  
CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE  
196, राजा एस.सी.मल्लिक रोड, कोलकाता – 700 032/196, RAJA S C MULLICK ROAD, KOLKATA-700032

मिसिल सं./File No. A-1 (4)/SA/2021-R&A

दिनांक/Date: 22.06.2022

**Final Results of Recruitment to the posts of Scientist/Gr. IV (2) for CSIR-CGCRI, Kolkata**  
**Ref: Advertisement No. 02/2021**

On recommendation of the Selection Committee as endorsed by the Chairman, CSIR-RAB, the candidates bearing the following Application Numbers of the post code mentioned against their names under the above referred advertisement have been provisionally empanelled in the Select List and Wait List for the posts of Scientist/Gr. IV(2).

क्र . /सं Sl. No.	पोस्ट कोड/ Post Code	पदों की सं . (आरक्षण सहित)/ No. of posts (with reservation)	अभ्यर्थी का नाम/Name of the candidate		
			चयनित/Selected	प्रतीक्षारत/Waitlisted	
1.	A-07	1 POST (UR)	A-07/000043 SWATI KUMARI	A-07/000052 PRATAP PAL	Wait List-1
				A-07/000046 SWARNIMA SINGH	Wait List-2
2.	A-08	1 POST (OBC)	A-08/000031 YUVARAJ NATARAJAN	A-08/000013 THARMARAJ R	Wait List-1
				A-08/000084 BALAMURUGAN D	Wait List-2
3.	A-11	1 POST (UR)	A-11/000013 ARUN KUMAR SINGH	A-11/000162 APARNA V	Wait List-1
				A-11/000128 DEBABRATA BEJ	Wait List-2

It may be noted that merely empanelling a candidate does not in any way entitle him/her to any appointment in CSIR-CGCRI as the empanelment is purely provisional and subject to fulfillment of eligibility in all respect and further verification of antecedent and medical test to be undertaken by the appropriate authority before appointment.

While every care has been taken in preparing the above result, however, CSIR-CGCRI, Kolkata reserves the right to rectify inadvertent error or typographical/printing mistake, if any.

CSIR-CGCRI regrets inability to entertain any correspondence from unsuccessful candidates.

**प्रशासनिक अधिकारी/Administrative Officer**