

Central Glass & Ceramic Research Institute
KOLKATA (WEST BENGAL) INDIA

CORRIGENDUM

REFERENCE NO. : - P/NC/77/BK/DR(SKM)/OTE/22-23

DATE: 24/09/2022

NAME OF EQUIPMENT: TABLE TOP HIGH TEMPERATURE LIFT BOTTOM FURNACE (RAISING HEARTH) FOR GLASS MELTING


NOTE: BID MUST BE SUBMITTED THROUGH "SINGLE STAGE TWO BID SYSTEM" IN THE CENTRAL PROCUREMENT PORTAL ONLY. (URL: [HTTPS://ETENDERS.GOV.IN/EPROCURE/APP](https://etenders.gov.in/e procure/app))

THIS IS TO INFORM THAT DUE DATE OF SUBMISSION OF BIDS FOR ABOVE MENTIONED ITEM HAS BEEN EXTENDED AS MENTIONED BELOW:

Extended Last Date of Submission of Bids	11/10/2022 upto 3:00 P.M. (IST)	Extended date of Opening of Bids	12/10/2022 by 3.30 P.M. (IST)
------------------------------------------	---------------------------------	----------------------------------	-------------------------------

The above amendments shall amount to amendments of the relevant terms of our Bid Document for CGCRI Tender No. P/NC/77/BK/DR(SKM)/OTE/22-23.

All other Tender terms and conditions remain unchanged.


26.09.2022

(A.K.Pandey)

Stores & Purchase Officer

##*****#

अंजनी कुमार पाण्डेय/Anjani Kumar Pandey
भण्डार एवं क्रय अधिकारी/Stores & Purchase Officer
सोएलजाईनार - केन्द्रीय काँच एवं सितामिक अनुसंधान संस्थान
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
198, राजा एस. सी. मल्लिक रोड / 198, Raja S. C. Mullick Road -
कोलकाता / Kolkata- 700 032