

**Central Glass & Ceramic Research Institute  
KOLKATA (WEST BENGAL) INDIA**

**CORRIGENDUM**

**REFERENCE NO. :- P/NC/67/SB/DB/OTE/22-23**


**DATE: 19/09/2022**

**NAME OF EQUIPMENT:  
HIGH TEMPERATURE CONTROLLED ATMOSPHERE  
TWIN CHAMBER FURNACE.**

**Bidders are informed of the following rectifications in the Corrigendum published on 15/09/2022 in the CPP Portal and on CSIR-CGCRI Website regarding revised Technical Specifications after Pre-Bid Conference held on 12/09/2022 against our Tender No. P/NC/67/SB/DB/OTE/22-23:-**

- 1) Date of the said Corrigendum may be read as **15/09/2022** instead of 15/08/2022.
- 2) Name of equipment may be read as "**NAME OF EQUIPMENT: HIGH TEMPERATURE CONTROLLED ATMOSPHERE TWIN CHAMBER FURNACE**" instead of "NAME OF SERVICE: COMPREHENSIVE ANNUAL MAINTENANCE CONTRACT OF IT ITEMS AT CSIR-CGCRI, KOLKATA".

All the other terms remain unchanged.

  
**(Anjani Kr. Pandey)**  
**Stores & Purchase Officer**

अंजनी कुमार पाण्डेय/Anjani Kumar Pandey  
भण्डार एवं क्रय अधिकारी/Stores & Purchase Officer  
सीएसआरआईआर - केन्द्रीय काँच एवं सिरेमिक अनुसंधान संस्थान  
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE  
196, राजा एस. सी. मल्लिक रोड / 196, Raja S. C. Mullick Road -  
कोलकाता / Kolkata- 700 032