



## सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एम. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No.01/2324/SGD/GAP-0185/ARM

Dated : April 28, 2023

On the basis of recommendation of the Selection Committee Meeting, in connection with selection of one (1) no. of Project Associate - I through Walk-in-Interview, held on 24.04.2023 against this Institute Advertisement No. 01/2324/SGD/GAP-0185/ARM, Post Code 01/2324/01 dated 17.04.2023, the following candidate (s) has/have provisionally been selected / wait listed :

### RESULT

Advt. 01/2324/SGD/GAP-0185/ARM, Post Code 01/2324/01			
Project Associate - I			
Sl. No.	Application No.	Name of the Candidate (s)	Result
1.	01/2324/01/000006	Ms. Shaona Chatterjee	Selected
2.	01/2324/01/000001	Ms. Suprita Hati	Waiting List - 1

This is for the information of all concerned.

Section Officer



सुचना का  
अधिकार  
RIGHT TO  
INFORMATION

दुरमाल / Phone : निदेशक / Director : 9833312473/8829, कार्यालय / Office : 2473 4469/76/1796.98, 2483 7340/463, 2483 7349-50  
DND Lines 2 2483 8979/8082, फैक्स / Fax : (033) 2473 9857, 2473 8083, 2489, 2489, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : www.cgcri.res.in