



## सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No.GC/R&A/NWP-100/HST/KHURJA/2023-24(02)

Dated : August 31, 2023

On the basis of recommendation of the Selection Committee, in connection with selection of one (1) number of **Scientific Administrative Assistant** through Walk-in-Interview, held on 16.08.2023 against this Institute's Advertisement No. GC/R&A/NWP-100/HST/KHURJA/2023-24(02) dated 04.08.2023, the following candidate (s) has/have provisionally been selected/wait-listed :

### RESULT

Advt. No. GC/R&A/NWP-100/HST/KHURJA/2023-24(02)			
Scientific Administrative Assistant			
Sl. No.	Application No.	Name of the Candidate (s)	Result
1.	01.	Mr. Dharmendra Singh	Selected
2.	03.	Mohd. Sahil Ansari	Waiting List - 1

This is for information of all the concerned.

Section Officer



दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : www.cgcri.res.in