



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान
196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(Project)

Dated : August 31, 2023

On the basis of recommendation of the Selection Committee, in connection with selection of one (1) no. of Project Associate - I through Walk-in-Interview, held on 28.08.2023 against this Institute's Advertisement No. 20/2324/SGD/HCP-0030/WP-2/AT, Post Code 20/2324/01 dated 16.08.2023, none of the candidate has been selected / wait listed :

RESULT

Advt. 20/2324/SGD/HCP-0030/WP-2/AT, Post Code 20/2324/01		
Project Associate - I		
Application No.	Name of the Candidate (s)	Result
None found suitable		

This is for the information of all concerned.

Section Officer



दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in