



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No.GC/R&A/HCP-0054/WP-11/SKS/KHURJA/2023-24(03)

Dated : December 27, 2023

On the basis of recommendation of the Selection Committee, in connection with selection of one (1) number of **Project Associate – I** through Walk-in-Interview, held on 14.11.2023 against this Institute's Advertisement No. GC/R&A/HCP-0054/WP-11/SKS/KHURJA/2023-24(03) dated 03.11.2023, the following candidate (s) has/have provisionally been selected/wait-listed :

RESULT

Advt. No. GC/R&A/HCP-0054/WP-11/SKS/KHURJA/2023-24(03)			
Project Associate - I			
Sl. No.	Application No.	Name of the Candidate (s)	Result
1.	0003.	Mr. Deepak Sharma	Selected
2.	0001.	Ms. Tannu Singh	Waiting List - 1

This is for information of all concerned.

Section Officer



दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in