



सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान  
196, राजा एस सी मल्लिक रोड, कोलकाता - 700 032, भारत  
**CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE**  
196, Raja S C Mullick Road, Kolkata - 700 032, India



आरटीआई पंजीकरण सं / RTI Reg No: CGCRI/R/X/22/00067

दिनांक/ Date: 19/12/2022

सेवामें/To

GODA YADAGIRI YADAV,  
h no 1-38 , Beside municipal Office,  
Near Gandhi Statue, Boduppal,  
Hyderabad,Telangana; Pin:500 092.

Sub: RTI Query vide Registration Number: CGCRI/R/X/22/00067

RTI Reg SI No: 352

महोदय / Sir,

सूचना की अधिकार अधिनियम, 2005 के अंतर्गत पंजीकरणसंख्या : CGCRI/R/X/22/00067 दिनांक 25/11/2022 द्वारा प्राप्त किये गए आवेदन के सन्दर्भ में सम्पर्कित सूचना निम्नरूप से पेश है/ I am to refer to your Request for Information under RTI Act, 2005, received vide Registration Number: CGCRI/R/X/22/00067 dated 25/11/2022 and the reply is / are as follows:

1-3 Reply: The total vacancies available against the post of Section Officer in this Institute as on 13.12.2022 is as given below:

	Vacant Post
SO (Gen)	0
SO (F&A)	3
SO (S&P)	2

The reservation roster for the post of Section Officer (G), (F&A) and (S&P) are maintained by CSIR Head Quarter, hence the information may be obtained from them.

4-8 Reply: The lab/Institute is not the custodian of the information sought through query nos. 4-8.

(मुनमुनगुप्ता/ Munmun Gupta)

CPIO ( Admn) and Section Officer

196, राजाएस.सी. मल्लिकरोड, कोलकाता- 700 032/196 Raja S.C. Mullick Road/ Kolkata – 700 032

दूरभाषसं./Telephone No : (Office): (033) – 2322 - 3517 / 3416

Copy to:

Shri Sitendu Mandal, Chief Scientist &First Appellate Authority (F/A)

Address: CSIR- CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196 Raja S C. Mullick Road/ Kolkata – 700 032. Phone No: (033) – 23223473

