

## सीएसआईआर - केन्दीय काँच एवं सिरामिक अनसंधान संस्थान

196, राजा एस सी मॉल्लक रोड, कोलकाना - 700 032, भारत

## CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE



196, Raja S C Mullick Road, Kolkata - 700 032, India

## **CORRIGENDUM**

REFERENCE NO.: - P/NC/82/DG/SO(SB)/OTE/23-24

DATE: 21/12/2023

**EOUIPMENT:** "SUPPLY, INSTALLATION, COMMISSIONING. **OF** NAME DEMONSTRATION & TRAINING OF NANOSECOND PULSED LASER DELIVERY SYSTEM".

NOTE: The Bids must be submitted in the Central Public Procurement (URL:https://etenders.gov.in/eprocure/app) only. Manual/Offline bids shall not be accepted under any circumstances. Bidders should quote in INR only.

CONSEQUENT TO THE PRE-BID MEETING HELD ON 06/12/2023, THE REVISED SPECIFICATION IS GIVEN BELOW:-

## Revised Technical Specifications

Wavelength: any value within the range 1050 - 1080 nmPulse Width: any value within the range 1.0 - 10.0 ns Pulse Energy: any value within the range  $5.0 \mu J - 15.0 \mu J$ Peak Power: any value within the range 5.0 – 10.0 kW Pulse Repetition Rate: any value within the range 15 = 25 kHz

Spatial Mode: TEM00

 $M^2$ : <1.5

Beam diameter: any value within the range 400 μm – 1000 μm

Polarization: Random

Revised Deadline for Submission of Bid and Opening of Bid is as follows:-

Bid Submission End Date & Time	08/01/2024 upto 3.30 PM(IST)
Bid Opening Date & Time	09/01/2024 at 3.30 PM(IST)

The above amendments shall amount to amendments of the relevant terms of our Bid Document for CGCRI Tender No. P/NC/82/DG/SO(SB)/OTE/23-24 dated 22/11/2023.

All other Tender terms and conditions remain unchanged.

All other Tender terms and conditions remain unchanged.

Bidders should quote in **INR**.

अंजनी कुमार पाण्डेय/Anjani Kumar Pandey पण्डार एवं क्रय अधिकारी/Stores & Purchase Officer तीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंघान संस्थान CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE 196, राजा एस. सी., मल्लिक रोड / 196, Raja S. C. Mullick Road

Stores & Purchase Officer

कोलकाता / Kolkata- 700 032

FOR & ON BEHALF OF CSIR