



सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान
196, राजा एस सी मल्लिक रोड, कोलकाता - 700 032, भारत
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, Raja S C Mullick Road, Kolkata - 700 032, India



CORRIGENDUM

REFERENCE NO. : - P/NC/93/NBM/SO(SB)/GTE/22-23

DATE: 17/01/2023

NAME OF EQUIPMENT: "SUPPLY, INSTALLATION, COMMISSIONING, DEMONSTRATION & TRAINING OF LOW FREQUENCY LONG STROKE ELETRODYNAMIC AIR BEARING SHAKER WITH POWER AMPLIFIER, CONTROLLER AND REFERENCE ACCELEROMETER".


NOTE: BID TO BE SUBMITTED IN "SINGLE STAGE TWO ENVELOPE SYSTEM (TWO BID SYSTEM)" MANUALLY IN SEALED COVER IN THE TENDER-BOX OF THE LAB-IN TWO SEPARATE ENVELOPES (1) TECHNO-COMMERCIAL (UN-PRICED) BID AND (2) COMMERCIAL /PRICE-BOTH. THE ENVELOPES SHOULD BE KEPT IN ONE ANOTHER ENVELOPE.

Revised Deadline for Submission of Bid and Opening of Bid is remain unchanged as given in CGCRI Tender No. **P/NC/93/NBM/SO(SB)/GTE/22-23** dated 15/12/2022 which is as follows:-

Bid Submission End Date & Time	31/01/2023 upto 1.00 PM(IST)
Bid Opening Date & Time	01/02/2023 at 3.30 PM(IST)

The above amendments shall amount to amendments of the relevant terms of our Bid Document for CGCRI Tender No. P/NC/93/NBM/SO(SB)/GTE/22-23 dated 15/12/2022. .

All other Tender terms and conditions remain unchanged.


17.01.2023

(A.K.Pandey)
Stores & Purchase Officer
FOR & ON BEHALF OF CSIR

#*****# पाण्डेय / Anjani Kumar Pandey
भण्डार एवं क्रय अधिकारी / Stores & Purchase Officer
सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, राजा एस. सी. मल्लिक रोड / 196, Raja S. C. Mullick Road
कोलकाता / Kolkata- 700 032