



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(Project)

Dated : July 30, 2024

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Manager through Walk-in-Interview, held on 23.07.2024 against this Institute Advertisement No. 34/2425/FOPD/GAP-0183/SB, Post Code 34/2425/03 dated 15.07.2024, the following candidate (s) has/have provisionally been selected / waitlisted :

RESULT

Advt. 34/2425/FOPD/GAP-0183/SB, Post Code 34/2425/03			
Project Manager			
Sl. No.	Application No.	Name of the Candidate(s)	Result
NO CANDIDATE REGISTERED.			

This is for the information of all concerned.

Section Officer



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फेक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in