



# सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(Project)

Dated : August 1, 2024

On the basis of recommendation of the Selection Committee, in connection with selection of one (1) no. of Project Assistant through Walk-in-Interview, held on 25.07.2024 against this Institute Advertisement No.35/2425/SGD/TSP-0103/KA, Post Code 35/2425/02 dated 15.07.2024, the following candidate has provisionally been selected :

## RESULT

Advt. 35/2425/SGD/TSP-0103/KA, Post Code 35/2425/02			
PROJECT ASSISTANT			
Sl. No.	Application No.	Name of the Candidate(s)	Result
1.	35/2425/02/000009	Mr. Goutam Mukhi	Selected

This is for the information of all concerned.

Section Officer



सुचना का  
अधिकार  
RIGHT TO  
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : www.cgcri.res.in