



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700032, भारत

CSIR-CENTRALGLASS&CERAMICRESEARCHINSTITUTE

196,Raja S.C.MullickRoad,Jadavpur, Kolkata-700032,India



No Admn.1(04)/2023/(08)/(Project)

Dated :August 28, 2024

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Research Associate – I through Walk-in-Interview, held on 20.08.2024 against this Institute Advertisement No.40/2425/FOPD/GAP-0186/AP, Post Code 40/2425/01 dated 09.08.2024, the following candidate (s) has/have provisionally been selected / waitlisted :

RESULT

Advt.40/2425/FOPD/GAP-0186/AP Post Code 40/2425/01			
RESEARCH ASSOCIATE - I			
Sl. No.	Application No.	Name of the Candidate(s)	Result
1.	40/2425/01/000001	Dr. Mayuri Kashyap	Selected

This is for the information of all concerned.

Section Officer



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3489 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in