



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(10)(Project)

Dated : November 5, 2024

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Manager through Walk-in-Interview, held on 22.10.2024 against this Institute Advertisement No. 57/2425/FOPD/GAP-0183/SB, Post Code 57/2425/03 dated 08.10.2024, no candidate appeared for the above position :

RESULT

Advt. No. 57/2425/FOPD/GAP-0183/SB, Post Code 57/2425/03		
PROJECT MANAGER		
Application No.	Name of the Candidate (s)	Result
No Candidate Appeared		

This is for the information of all concerned.

जे. पाल 05.11.24
(Jayanta Pal)
Section Officer



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3489 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dlr_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in