



सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान
196, राजा एस सी मल्लिक रोड, कोलकाता - 700 032, भारत
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, Raja S C Mullick Road, Kolkata - 700 032, India



CORRIGENDUM

REFERENCE NO. : - P/NC/29/NCP/SO/OTE/24-25

DATE: 17/10/2024

NAME OF EQUIPMENT: "SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF PURE PLATINUM CRUCIBLE" [CPPP PORTAL TENDER ID: 2024_CSIR_209299_1].

NOTE: The Bids must be submitted in the Central Public Procurement Portal (URL: <https://etenders.gov.in/eprocure/app>) only. Manual/Offline bids shall not be accepted under any circumstances. Bidders should quote in INR only.

CONSEQUENT TO THE PRE-BID MEETING HELD ON 04/10/2024, THE TECHNICAL SPECIFICATION AS UPLOADED ON CPP PORTAL [TENDER ID: 2024_CSIR_209299_1] SHALL REMAIN UNCHANGED.

BID VALIDITY:- BID SHOULD REMAIN VALID FOR A PERIOD OF 45 DAYS FROM THE DATE OF OPENING OF BIDS.

OTHER TERMS & CONDITIONS ARE REMAINING UNCHANGED.


18/10/2024

(Bodhisattwa Dhar)

Stores & Purchase Officer

*****#

भण्डार एवं क्रय अधिकारी/Stores & Purchase Officer
सीएसआईआर - केन्द्रीय काँच एवं सिरामिक अनुसंधान संस्थान
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, राजा एस. सी. मल्लिक रोड / 196, Raja S. C. Mullick Road
कोलकाता / Kolkata- 700 032