



सीएसआईआर-केंद्रीय कांच एवम सीरामिक अनुसंधान संस्थान  
**CSIRCENTRAL GLASS & CERAMICRESEARCH INSTITUTE**  
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद  
**COUNCIL OFSCIENTIFIC&INDUSTRIAL RESEARCH)**

196, राजा एस सी मल्लिक रोड  
Raja S. C. Mullick Road, यादवपुर/Jadavpur, कोलकाता/ Kolkata-32  
फोन/Ph.: 033-2473-3469/96/76/77 फैक्स/ Fax : 033-2473-0957

**TENDER CANCELLATION NOTICE**

This is for general information that the NIT for "SWIR HIGH SENSITIVITY & HDR LINE SCAN CAMERA" (File No. P/NC/35/RDG/DR/OTE/24-25, Tender Id: 2024\_CSIR\_207076\_1) which was published in the Central Public Procurement Portal on 03/09/2024 (<https://eprocure.gov.in/epublish/app>) has been Cancelled owing to Administrative reasons.

  
Stores & Purchase Officer

भण्डार एवं क्रय अधिकारी/Stores & Purchase Officer  
सीएसआईआर - केंद्रीय कांच एवं सीरामिक अनुसंधान संस्थान  
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE  
196, राजा एस. सी. मल्लिक रोड / 196, Raja S. C. Mullick Road  
कोलकाता / Kolkata- 700 032