## Central Glass & Ceramic Research Institute KOLKATA (WEST BENGAL) INDIA CORRIGENDUM

REFERENCE NO.: - P/NC/61/DK/SO/OTE/24-25

DATE: 30/09/2024

NAME OF EQUIPMENT: SUPPLY FOR "PXI EXPRESS BASED DATA ACQUISITION SYSTEM" [CPP PORTAL TENDER ID [2024\_CSIR\_209156\_1].

NOTE: The Bids must be submitted in the Central Public Procurement Portal (URL: <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a>) only. Manual/Offline bids shall not be accepted under any circumstances. Bidders should quote in INR only.

DATE & TIME OF PRE-BID CONFERENCE MEETING may be read as 03/10/2024 3.30 PM (IST) instead of publish tender Pre-Bid Conference held on 01/10/24 at 3.30 PM.

Pre-Bid Meeting will be held on 03/10/2024 at 3.30 P.M. instead of existing.

All other Tender terms and conditions remain unchanged.

Stores & Purchase Officer

\* \* \* \* \* अण्डार राजं भारत अधिकारी र Stores & Purchase Officer सीएसआईआर - केन्द्रीय काँच एवं सिन्धिक अनुसंधान संस्थान CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, राजा एस. सी. मल्लिक रोड / 196, Raja S. C. Mullick Road कोलानाता / Kolkata- 700 032