

## सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(09)/2025/(Project)

Dated: October 23, 2025

On the basis of recommendation of the Selection Committee, in connection with selection of one (01) no. of Project Associate – I through Walk-in-Interview, held on 14.10.2025 a gainst this Institute Advertisement No. 19/2526/FOPD/MMP-065202(WC-2)/NBM, Post Code 19/2526/01 dated 26.09.2025, the following candidate (s) has/have provisionally been selected:

## **RESULT**

Advt. No. 19/2526/FOPD/MMP-065202(WC-2)/NBM, Post Code 19/2526/01

## PROJECT ASSOCIATE - I

SI. No.	Application No.	Name of the Candidate(s)	Result
1.	19/2526/01/000001	Mr. Kalipada Ghorui	Selected

This is for the information of all concerned.

ज़िन्पाल <sub>23.10.25</sub> (Jayanta Pal) Section Officer



दूरभाष/Phone : निदेशक/Director : +91 33 2473 5829, कार्यालय/Office : 2473 3469/76/77/96; 2483 7340-46,2483 7349-50 DID Lines : 2483 8079/8082 फ़ैक्स/Fax : (033) 2473 0957,2473 6082,2483 7339,2483 8085 ई मेल/Email : dir\_office@cgcri.res.in बेब साइट/Website : www.cgcri.res in