



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(09)/2025/(Project)

Dated : October 23, 2025

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Assistant – II through Walk-in-Interview, held on 13.10.2025 against this Institute Advertisement No. 22/2526/EMDD/GAP-0379/JM, Post Code 22/2526/02 dated 25.09.2025, none of the candidate has registered for the position :

RESULT

Advt. 22/2526/EMDD/GAP-0379/JM, Post Code 22/2526/02			
Project Assistant - II			
Sl. No.	Application No.	Name of the Candidate(s)	Result
NO CANDIDATE REGISTERED.			

This is for the information of all concerned.

जयन्ता
(Jayanta Pal)
Section Officer
23.10.25



सुचना का अधिकार
RIGHT TO INFORMATION
दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in