

सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



Dated : June 20, 2025

No Admn.1(04)/2023/(05)/2025/(Project)

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Junior Research Fellow through Walk-in-Interview, held on 11.06.2025 against this Institute Advertisement No.05/2526/EMDD/GAP-0387/JM, Post Code 05/2526/02 dated 29.05.2025, none of the candidate has been found suitable:

RESULT

Advt. No. 05/2526/EMDD/GAP-0387/JM, Post Code 05/2526/02		
J	UNIOR RESEARCH FELLO	W
Application No.	Name of the Candidate (s)	Result

None found suitable

This is for the information of all concerned.

Section Officer



दुरमाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50 DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in

वेबसाइट / Website : www.cgcri.res.in