

## सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



Dated: October 10, 2025

No Admn.1(04)/2023/(08)/2025/(Project)

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Assistant – II through Walk-in-Interview, held on 22.09.2025 against this Institute Advertisement No.16/2526/RTCD/HCP-002502(WP-2)/SSMP, Post Code 16/2526/01 dated 02.09.2025, none of the candidate has been found suitable:

## **RESULT**

Advt. No. 16/252	6/RTCD/HCP-002502(WP-2)/SSMP, Post	Code 16/2526/0
	PROJECT ASSISTANT - II	
Application No.	Name of the Candidate (s)	Result

## None found suitable

This is for the information of all concerned.





दुरमाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in

वेबसाइट / Website : www.cgcri.res.in