



# सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(08)/2025/(Project)

Dated : October 27, 2025

On the basis of recommendation of the Selection Committee, in connection with selection of one (01) no. of Project Associate - I through Walk-in-Interview, held on 17.10.2025 against this Institute Advertisement No. 17/2526/EMDD/MMP-065202/JM, Post Code 17/2526/01 dated 02.09.2025, the following candidate (s) has/have provisionally been selected / waitlisted :

## RESULT

| 17/2526/EMDD/MMP-065202/JM, Post Code 17/2526/01 |                   |                          |                  |
|--------------------------------------------------|-------------------|--------------------------|------------------|
| Project Associate - I                            |                   |                          |                  |
| Sl. No.                                          | Application No.   | Name of the Candidate(s) | Result           |
| 1.                                               | 17/2526/01/000007 | Mr. Anudhayan Datta      | Selected         |
| 2.                                               | 17/2526/01/000003 | Mr. Anamitra Sikdar      | Waiting List – 1 |

This is for the information of all concerned.

ज.प.ल  
27.10.25  
(Jayanta Pal)  
Section Officer



दूरभाष Phone : निदेशक Director : +91 33 2473 5829, कार्यालय Office : 2473 3469/76/77/96; 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079/8082 फ़ैक्स Fax : (033) 2473 0957, 2473 6082, 2483 7339, 2483 8085 ई मेल Email : dir\_office@cgcri.res.in  
वेब साइट Website : www.cgcri.res.in