



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान
196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(09)/(Project)

Dated : February 25, 2025

On the basis of recommendation of the Selection Committee, in connection with selection of one (01) no. of Research Associate – I through Walk-in-Interview, held on 23.10.2024 against this Institute Advertisement No. 53/2425/ACCD/GAP/MKN, Post Code 53/2425/02 dated 08.10.2024, the following candidate (s) has/have provisionally been selected / waitlisted :

RESULT

Advt. No. 53/2425/ACCD/GAP/MKN Post Code 53/2425/02			
RESEARCH ASSOCIATE - I			
Sl. No.	Application No.	Name of the Candidate(s)	Result
1.	53/2425/02/000002	Dr. Sukanya Kundu	Selected
2.	53/2425/02/000005	Dr. Susanta Sengupta	Waiting List – 1

This is for the information of all concerned.

Section Officer



दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in