



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No. Admn.1(04)/2023/(04)/2026-27/(Project)/Comp. No.366558

Date : 01.10.2026

With reference to the Institute Advertisement vide Advt. No. 13/2627/FMDD/GAP-0398/SR, Post Code 13/2627/01 dated 24.07.2026, the list of the Screened In and Screened Out candidates are mentioned in the table below :

RESULT

List of Screened In Candidates

Advt. No. 13/2627/FMDD/GAP-0398/SR, Post Code 13/2627/01			
Project Associate – I			

Sl. No.	App. No.	Name of the Candidates.	Result
1.	13/2627/01/000001	Mr. Shivam Kushwaha	Screened In
2.	13/2627/01/000002	Mr. Krishnendu Halder	Screened In
3.	13/2627/01/000003	Mr. Saurajit Das	Screened In
4.	13/2627/01/000004	Mr. Debdeep Chatterjee	Screened In
5.	13/2627/01/000005	Mr. Arpan Sen	Screened In
6.	13/2627/01/000006	Mr. Souradeep De	Screened In
7.	13/2627/01/000008	Mr. Maniul Haque	Screened In
8.	13/2627/01/000010	Mr. Mohamed Amjad K	Screened In
9.	13/2627/01/000011	Mr. Himangshu Goswami	Screened In
10.	13/2627/01/000012	Mr. Swarup Das Gupta	Screened In
11.	13/2627/01/000014	Mr. Ritesh Raj	Screened In
12.	13/2627/01/000016	Mr. Rohan	Screened In

List of Screened Out Candidates

Sl. No.	App. No.	Name of the Candidates.	Result
1.	13/2627/01/000007	Mr. Krishna Murti Chaturvedi	Screened Out
2.	13/2627/01/000009	Mr. Subhajit Kundu	Screened Out
3.	13/2627/01/000013	Ms. Subhalakshmi Deb	Screened Out
4.	13/2627/01/000015	Mr. Shivam Kushwaha	Screened Out



सूचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3489 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50

DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in

वेबसाइट / Website : www.cgcri.res.in

20/10/24



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



Sl. No.	App. No.	Name of the Candidates.	Reason for rejection
5.	13/2627/01/000017	Mr. Md. Shad Ibrar	Screened Out
6.	13/2627/01/000018	Mr. Sanni Sah	Screened Out

The Screened In candidates are eligible for the interview. The interview will be held on **05.10.2026** from **2:30 p.m.** at CSIR-CGCRI, Kolkata.

Screened In candidates are requested to attend the interview physically at CSIR-CGCRI, Kolkata on the above mentioned date by 1:30 p.m.

This is for the information of all concerned.

(Handwritten signature)
01/10/2026

(Monalisa Bhattacharya
Section Officer(R&A))



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3489 / 76 / 77 / 96, 2483 7340-48, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dlr_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in