



# सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(03)/2026-27/(Project)

Date : 17.09.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one (01) no. of Project Associate – I through Walk-in-Interview, held on 08.09.2026 against this Institute Advertisement No. 22/2627/ACCD/OLP-2322/SC, Post Code 22/2627/01 dated 11.08.2026, the following candidate (s) has/have provisionally been selected/ waitlisted:

## RESULT

| Advt. No. 22/2627/ACCD/OLP-2322/SC, Post Code 22/2627/01 |                   |                          |                  |
|----------------------------------------------------------|-------------------|--------------------------|------------------|
| PROJECT ASSOCIATE – I                                    |                   |                          |                  |
| Sl. No.                                                  | Application No.   | Name of the Candidate(s) | Result           |
| 1.                                                       | 22/2627/01/000005 | Ms. Shreyasee Nath       | Selected         |
| 2.                                                       | 22/2627/01/000003 | Mr. Sagnik Pal           | Waiting List – 1 |
| 3.                                                       | 22/2627/01/000002 | Ms. Anubrata Dhara       | Waiting List – 2 |

This is for the information of all concerned.

Sd/-  
Section Officer(R&A)



सूचना का  
अधिकार  
RIGHT TO  
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : www.cgcri.res.in