



## सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

**CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE**

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn. 1(04)/2023/(10)/2025-26/(Project)

Dated : February 2, 2026

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Consultant / Project Manager through Walk-in-Interview, held on 21.01.2026 against this Institute Advertisement No.30/2526/FOPD/GAP-0183/NBM, Post Code 30/2526/01 dated 31.12.2025, none of the candidate has been found suitable :

### RESULT

**Advt. No. 30/2526/FOPD/GAP-0183/NBM, Post Code 30/2526/01**

#### **CONSULTANT / PROJECT MANAGER**

Application No.	Name of the Candidate (s)	Result
<b>None found suitable</b>		

This is for information of all concerned.

*2026-02-01*  
(Monalisa Bhattacharya)  
Section Officer(R&A)



दुर्घाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : [www.cgcri.res.in](http://www.cgcri.res.in)