



# सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(11)/2025-26/(Project)

Date : 08.04.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Research Associate – I through Walk-in-Interview, held on 12.03.2026 against this Institute Advertisement No.35/2526/FOPD/GAP-0186/AP, Post Code 35/2526/01 dated 17.02.2026, the following candidate (s) has/have provisionally been selected :

## RESULT

Advt. No. 35/2526/FOPD/GAP-0186/AP, Post Code 35/2526/01			
RESEARCH ASSOCIATE - I			
Sl. No.	Application No.	Name of the Candidate(s)	Result
1.	35/2526/01/000002	DR. DIPTI KANIKA MAHATO	Selected

This is for the information of all concerned.

S/d  
(Monalisa Bhattacharya)  
Section Officer(R&A)



दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50  
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir\_office@cgcri.res.in  
वेबसाइट / Website : www.cgcri.res.in