



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(03)/2026-27/(Project)

Date : 21.09.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Assistant-I (PA-I) through Walk-in-Interview, held on 09.09.2026 against this Institute Advertisement No. 40/2627/EMDD/MMP-065202/JM, Post Code 40/2627/02 dated 25.08.2026, no candidate appeared for the above position :

RESULT

Advt. No. 40/2627/EMDD/MMP-065202/JM, Post Code 40/2627/02		
Application No.	Name of the Candidate (s)	Result
No Candidate Appeared		

This is for the information of all concerned.

Sd/-
Section Officer(R&A)



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : विदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in