



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(04)/2026-27/(Project)

Date : 22.10.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Associate – I through Walk-in-Interview, held on 29.09.2026 against this Institute Advertisement No.42/2627/EMDD/OLP-2303/BCP, Post Code 42/2627/01 dated 16.09.2026, none of the candidate has been found suitable :

RESULT

Advt. No. 42/2627/EMDD/OLP-2303/BCP, Post Code 42/2627/01			
PROJECT ASSOCIATE - I			
Sl. No.	Application No.	Name of the Candidate(s)	Result
None of the candidate found suitable			

This is for the information of all concerned.

Sd/-
Section Officer



सुचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 6829, कार्यालय / Office : 2473 3489 / 76 / 77 / 98, 2483 7340-48, 2483 7340-50
DID Lines : 2483 8079 / 8082, फ़ैक्स / Fax : (033) 2473 0857, 2473 8082, 2483 7399, 2483 8086, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in