



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(03)/2026-27/(Project)

Date: 13.10.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one(1) no. of Project Associate-I through Walk-in-Interview, held on 06.10.2026 against this Institute Advertisement No.45/2627/SGD/OLP2304/AKM, Post Code 45/2627/01 dated 17.09.2026, none of the candidate has been found suitable :

RESULT

Advt. No. 45/2627/SGD/OLP2304/AKM, Post Code 45/2627/01		
PROJECT ASSOCIATE – I		
Application No.	Name of the Candidate (s)	Result
None found suitable		

This is for information of all concerned.

Sd/-
Section Officer(R&A)



सूचना का
अधिकार
RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50

DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in

वेबसाइट / Website : www.cgcri.res.in