सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान
196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत
CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE
196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India

No Admn.1(04)/2023/(05)/2026-27/(Project) Date: 10.11.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one (1) no. of Project Assistant-II through Walk-in-Interview, held on 03.11.2026 against this Institute Advertisement No. 56/2627/FOPD/SSP0163/DG, Post Code 56/2627/01 dated 12.10.2026, none of the candidate has been found suitable:

RESULT

Advt. No. 56/2627/FOPD/SSP0163/DG, Post Code 56/2627/01		
PROJECT ASSISTANT – II		
Application No.	**Name of the Candidate (s)**	**Result**
None found suitable		

This is for information of all concerned.

Sd/-
Section Officer(R&A)

सुचना का अधिकार
RIGHT TO INFORMATION

दूरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50
DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in
वेबसाइट / Website : www.cgcri.res.in