



सीएसआईआर- केंद्रीय कांच एवं सिरामिक अनुसंधान संस्थान

196, राजा एस. सी. मल्लिक रोड, कोलकाता-700 032, भारत

CSIR - CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

196, Raja S. C. Mullick Road, Jadavpur, Kolkata-700 032, India



No Admn.1(04)/2023/(02)/2026-27/(Project)/ Comp. Code 348539

Date: 10.09.2026

On the basis of recommendation of the Selection Committee, in connection with selection of one (01) no. of Project Associate – I through Walk-in-Interview, held on 03.09.2026 against this Institute Advertisement No. 27/2627/SGD/OLP-2305/ARM, Post Code 27/2627/02 dated 11.08.2026, the following candidate (s) has/have provisionally been selected:

RESULT

Advt. No 27/2627/SGD/OLP-2305/ARM, Post Code 27/2627/02			
PROJECT ASSOCIATE – I			
Sl. No.	Application No.	Name of the Candidate(s)	Result
1.	27/2627/02/000006	Ms. Anwasha Dutta	Selected

This is for the information of all concerned.

Sd/-
Section Officer(R&A)



सुचना का

अधिकार

RIGHT TO
INFORMATION

दुरभाष / Phone : निदेशक / Director : +91 33 2473 5829, कार्यालय / Office : 2473 3469 / 76 / 77 / 96, 2483 7340-46, 2483 7349-50

DID Lines : 2483 8079 / 8082, फैक्स / Fax : (033) 2473 0957, 2473 6082, 2483 7399, 2483 8085, ई-मेल / Email : dir_office@cgcri.res.in

वेबसाइट / Website : www.cgcri.res.in