

# CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

(Council of Scientific & Industrial Research)

196, Raja S. C. Mullick Road, Kolkata-32, website: [www.cgcri.res.in](http://www.cgcri.res.in)

Advt. No. 28/2627/BMDD/FTT-070606/JC

Post Code : 28/2627/01

A Walk-in-Interview for the position of **one Principal Project Associate (Principal - PAT)** will be held on **27.08.2026 from 11:00 am** at this Institute to engage bonafide Indian citizen in the following project, tenable at CSIR-CGCRI, Kolkata as per details furnished below:

| Project No., Project Title and Tenure                                                                                                                                                                                                                                                                 | Position & Stipend                                                                                                              | Essential Qualification & Desirable Qualification and Age (As on date of interview)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Sponsoring Agency:</b></p> <p><b>Council of Scientific &amp; Industrial Research(CSIR)</b></p> <p>"Evaluation and validation of bioactive glass based hemostatic dressing prototype using large animal (porcine) model, as per regulatory guidelines "</p> <p>Tenure: Initially for 1 Year.</p> | <p><b>Principal Project Associate (Principal PAT ) - 01 No.</b></p> <p>Stipend - Rs. 49,000/- p.m. + HRA as admissible p.m.</p> | <p><b>Essential Qualification:</b></p> <p>M.Sc. in Chemistry / Biotechnology / B.Tech. in Ceramic Technology/Chemical Technology, and 6 years' experience in Research &amp; Development in Industrial and Academic Institution or Science and Technology Organizations and Scientific Activities and Services</p> <p>or</p> <p>M.Tech. in Material Science and Engineering from a recognized institution with 3 years' experience in Research and Development in Industrial and Academic Institutions or Science and Technology Organizations and Scientific activities and services</p> <p><b>Desirable Qualifications:</b></p> <p>Synthesis of bioactive glass by sol gel method, tissue culture, fabrication and characterization of wound care/ hemostatic dressing, etc.</p> <p><b>Age limit: 40 Years</b></p> <p>The upper age limit is relax able up to 5 years in case of candidates belonging to SC/ST/Physically Handicapped and Female, whereas 3 years in case of OBCs (Non-Creamy layer candidates).</p> |

Interested candidates are requested to send soft copy of duly filled up Application Form in the prescribed format as furnished herewith, duly TYPED (not hand-written) enclosing soft copies of self attested copies of each supporting documents/certificates/reprints to the following Email ID : [recruitment.cgcri@csir.res.in](mailto:recruitment.cgcri@csir.res.in). **Last date of receipt of application via email is 26.08.2026. No application will be entertained after the prescribed date.**

Separate Application is required, if applied for more than one position(s)/Advt. No(s) as and when applicable. **The original marksheet/certificates/Age-Caste proof should be brought with him/her at the time of interview for verification. The candidates should carry self-attested copies of their all documents & project thesis (if any) with them. The candidates should report at least ONE HOUR before the scheduled time of interview for verification of documents. No candidate(s) will be allowed to enter the Institute, if arriving after Reporting Time.**

Incomplete application without prescribed format and supporting documents will be summarily rejected. **Candidates who are presently engaged in any Project either in CSIR-CGCRI or any other Organization/Labs/Instts., should furnish the copy of NOC from his/her existing Project Leader. Candidate(s) with results awaited will not be eligible. Candidate(s) must calculate the percentage from CGPA/DGPA as per the calculation rule of University/Institute (Soft Copy of Self Attested of such rule to be attached).** CSIR-CGCRI reserves the right not to fill up the position (s), if it so desired by the Competent Authority. The number of position(s) may increase/decrease, as per the requirement of the Institute. The decision of the Institute shall be final in this regard. **Interim enquiries in this respect will not be entertained.**

Sd  
Controller of Administration